

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A method for amplifying a microRNA molecule to produce DNA molecules, the method comprising the steps of:

(a) producing a first DNA molecule that is complementary to a target microRNA molecule using primer extension with an extension primer comprising a first portion having a length from 3 to 17 nucleotides selected to hybridize to a portion of the target microRNA molecule and a second portion that hybridizes to the complement of a universal forward primer; and

(b) amplifying the first DNA molecule to produce amplified DNA molecules using the universal forward primer and a reverse primer, wherein the reverse primer is selected to specifically hybridize to a portion of the first DNA molecule that is complementary to the target microRNA molecule under defined hybridization conditions,

wherein the method comprises the use of at least one extension primer or reverse primer selected from the group consisting of SEQ ID NO:2-499.

2. (Original) The method of Claim 1, wherein at least one of the universal forward primer and the reverse primer comprises at least one locked nucleic acid molecule.

3-9. (Canceled)

10. (Original) A method of Claim 1 wherein the universal forward primer has a length in the range of from 16 nucleotides to 100 nucleotides.

11. (Canceled)

12. (Original) A method of Claim 1 wherein the universal forward primer hybridizes to the complement of the second portion of the extension primer.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

13. (Original) A method of Claim 2 wherein the universal forward primer comprises at least one locked nucleic acid molecule.

14. (Original) A method of Claim 13 wherein the universal forward primer comprises from 1 to 25 locked nucleic acid molecules.

15. (Canceled)

16. (Original) A method of Claim 2 wherein the reverse primer comprises at least one locked nucleic acid molecule.

17. (Original) A method of Claim 16 wherein the reverse primer comprises from 1 to 25 locked nucleic acid molecules.

18. (Canceled)

19. (Original) A method of Claim 1 further comprising the step of measuring the amount of amplified DNA molecules.

20. (Original) A method of Claim 1 wherein amplification is achieved by multiple successive PCR reactions.

21. (Currently amended) A method for measuring the amount of a target microRNA in a sample from a living organism, the method comprising the step of measuring the amount of a target microRNA molecule in a multiplicity of different cell types within a living organism, wherein the amount of the target microRNA molecule is measured by a method comprising the steps of:

(1) producing a first DNA molecule complementary to the target microRNA molecule in the sample using primer extension with an extension primer comprising a first

portion having a length from 3 to 17 nucleotides selected to hybridize to a portion of the target microRNA molecule and a second portion that hybridizes to the complement of a universal forward primer;

(2) amplifying the first DNA molecule to produce amplified DNA molecules using the universal forward and a reverse primer, wherein the reverse primer is selected to specifically hybridize to a portion of the first DNA molecule that is complementary to the target microRNA molecule under defined hybridization conditions; and

(3) measuring the amount of the amplified DNA molecules;

wherein the method is carried out using at least one extension primer or reverse primer selected from the group consisting of SEQ ID NO:2-499.

22. (Original) The method of Claim 21, wherein at least one of the universal forward primer and the reverse primer comprises at least one locked nucleic acid molecule.

23. (Original) The method of Claim 21, wherein the amount of the amplified DNA molecules are measured using fluorescence-based quantitative PCR.

24. (Original) The method of Claim 21, wherein the amount of the amplified DNA molecules are measured using SYBR green dye.

25-42. (Canceled)